

Deleting Temporary Internet Files

For Mac Users


Most web browsers store a copy of web-page content in a Temporary Internet File (or cache) folder on your hard drive so pages load faster. By deleting the files from your Temporary Internet Folder you ensure that you are viewing the most recent version of the page.

Different browsers have different steps for deleting Temporary Internet Files. Below are instructions for [Safari](#), [Internet Explorer](#), [Netscape](#), and [Firefox](#).

Note: The amount of time it will take to delete the files varies depending on how many files are stored.

In Safari:

From the Safari menu, select “**Empty Cache**”:



The “**Empty Cache**” window appears:




Click “**Empty**”. That’s it!

In Internet Explorer:


From the Explorer menu, select “**Preferences**”:

The **Preferences** window will open.




Select **Advanced** under **Web Browser**.

Click **Empty Now** followed by clicking **OK** to effect the action and exit.




In Netscape:

From the Netscape menu, select "**P**references":



The **P**references window will open.



Double click on **A**dvanced or turn its arrow down.

Select **C**ache.

The **C**ache **P**references opens on the right. Select **C**lear **C**ache.




Click **O**K to close.

In Firefox:

From the Firefox menu, select “**P**references”:

The **P**references window will open. From along the left side, select the **P**rivacy icon.



Choose **C**ache (the bottom choice) and click the **C**lear button.



Click **O**K to effect the action and exit.